

iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GCB1



HZ631070 Baking tray, enamelled, HZ632070 Multipurpose pan, enamelled, HZ633001 Lid for professional pan, enamelled, HZ633070 Professional pan with grid, enamelled, HZ633073 Professional pan, enamelled, HZ635000 AirFry & Grill Set, AOVG9MF00S Mech. Child safety lock (Gap size: 4mm), HZ530000 2 multipurpose pans, slim size, HZ531010 Baking tray, non-stick ceramic coated, HZ532010 Universal pan, non-stick ceramic coated, HZ617000 Pizza pan, enamelled, HZ629070 Air Fry & Grill tray, HZ638D00 Full ext rails, level independent, steam, HZ664000 Baking and roasting grid (steam), HZ66D52 2 steamcontainer(punched/unpunched)sizeM, HZ66X650 Cover Strip, HZ6BMA00 Assembly kit for vertical installation, HZ915003 Glass roasting dish, 5,4 L, HZG0AS00 Connecting cable 3m, HZ32WA00 Wireless food thermometer

The intelligent fullSteam Plus oven with Oven Assistant with Voice Control for intuitive programme setting and roastingSensor Plus for excellent results.

- ✓ Far less oven cleaning – ecoClean Plus.
- ✓ fullSteam Plus with sous-vide – For healthy and great-tasting meals.
- ✓ varioClip rails Plus – Flexible cooking, baking and steam cooking on every level.
- ✓ roastingSensor Plus – Perfect roasting results.
- ✓ fastPreheat – Heat the oven quickly. coolStart – Eliminate preheating for frozen foods.

Color / Material Front: Black
Built-in / Free-standing: Built-in
Door opening: Drop down
Cleaning : ecoClean®
self-cleaning function (rear, sides and ceiling), Hydrolytic
Control Panel Material:Glass
Door Material:Glass
Dimensions (HxWxD):595x594x548 mm
Dimensions of the packed product: 670 x 660 x 690 mm
Required niche size for installation (HxWxD): ..585-595 x 560-568 x 550 mm
Cavity dimensions:355 x 480 x 415 mm
Usable volume of cavity: 71 l
Number of interior lights:1
Net weight: 40.5 kg
Gross weight: 43.1 kg
EAN code:4242003902684
Power supply: 3600 W
Fuse protection:16 A
Voltage:220-240 V
Frequency:50; 60 Hz
Length electrical supply cord: 120.0 cm



iQ700, Built-in oven with steam function, 60 x 60 cm, Black HS958GCB1

Heating Functions

- Combi-steam oven with 23 heating methods: 4D hotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, coolStart (deep-frozen food special), Bottom heating, Intensive heat, Low temperature cooking, Plate warming setting, Keep Warm, hotAir gentle, Conventional heat gentle, FullSteam, Reheating, Dough Proving, Defrost, sous-vide cooking, hotair grilling + steam, keep warm + steam, 4D hotAir + steam, Top/bottom heat + steam
- Temperature range 30 °C - 250 °C.

Racks and Rails

- Number of shelf levels: 5
- varioClip rails Plus, full extension, with Stop function

Design

- studioLine Black Steel Design
- studioLine Glass handle
- TFT-Touchdisplay Pro
- Touch control
- Cavity inner surface: enamel
- Cavity volume: 71 net usable litres

Cleaning

- ecoClean: coating of ceiling, back panel, side liners
- humidClean Plus program - easy cleaning of a lightly soiled cooking cavity

Convenience

- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- steamBoost - add for 3min intensive steam with a touch of a button.
- roastingSensor Plus multipoint meat probe
- cookControl Pro
- HomeConnect
- Oven Assistant with Voice Control
- coolStart - eliminates preheating for frozen foods
- Automatic rapid heat up
- Oven door with SoftOpen and SoftClose door
- Integrated cooling fan
- LED light
- Electronic clock and timer
- Water tank empty indicator
- Location of the steam generator is outside of the cavity

Accessories

- 1 x enamel baking tray, 1 x Steam container, punched, size M, 1 x steam container, punched, size XL, 1 x Steam container, unpunched, size M, 1 x grid, 1 x sponge, 1 x universal pan

Safety Features

- Child lock , Automatic safety switch-off function, Residual heat indicator, Start button, Door contact switch

- Triple glazed door with heat reflective glass
- Full glass inner door

Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

Dimensions


- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
- Energy consumption per cycle in conventional mode:0.87 kWh
- Energy consumption per cycle in fan-forced convection mode:0.69 kWh
- Number of cavities: 1 Heat source: electrical Cavity volume:71 net usable litres

iQ700, Built-in oven with steam function, 60 x 60 cm, Black
HS958GCB1

Installing two appliances on top of each other
Air exchange



A: Air inlet ≥ 200 cm²




Note the pivoting range of the fascia.

measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm



measurements in mm

