

iQ700 Combi Steam Oven HS858GXB6B



Shorten your cooking time thanks to fast preheat.

- ✓ fast preheat: reach the required baking temperature sooner.
- ✓ ecoClean Plus: effortless cleaning thanks to a special coating.
- ✓ The steam function: Easily prepare healthy and tasty meals and create outstanding flavour experiences with Sous-vide cooking.
- ✓ TFT Touchdisplay Plus: optimum readability and intuitive operation.

Features

Technical Data

Color / Material Front : Black
Built-in / Free-standing : Built-in
Door opening : Drop down
Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550
Dimensions of the product (mm) : 595 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) : 670 x 660 x 690
Control Panel Material : Glass
Door Material : Glass
Net weight (kg) : 45.0
Approval certificates : CE, VDE
Length electrical supply cord (cm) : 120
Cooking method : , 4D hot air, Bottom heat, Conventional heat, Deep-frozen food special, Defrost, Dehydrate, fermentation, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, Intensive heat, low temperature cooking, Pizza setting, pre-heating, Regeneration, Sous-vide cooking, Steam 100%, warming
Time-setting Options : Start and Stop
Current (A) : 16
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Plug type : no plug
Approval certificates : CE, VDE
Color / Material Front : Black
Energy input : Electric
Current (A) : 16
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Approval certificates : CE, VDE
Plug type : no plug
Net weight (lbs) : 99
Gross weight (lbs) : 104



4 242003 789476

Optional accessories

HZG0AS00 : Connecting cable 3m , HZ915003 : Glass roasting dish, 5,4 L , HZ6CFH0 : Cookbook , HZ6BMA00 : Assembly kit for vertical installation , HZ66X650 : Cover Strip , HZ66D920 : Vacuum bags 240 x 350 mm, 100 pcs. , HZ66D910 : Vacuum bags 180 x 280mm, 100 pcs. , HZ664000 : Baking and roasting grid (steam) , HZ638D10 : 1 level telescopic rail, full ext, steam , HZ636000 : Glass pan , HZ633070 : Professional pan, anthracite enamelled , HZ633001 : Lid for professional pan, enamelled anth , HZ632070 : Multipurpose pan, anthracite enamelled , HZ632010 : Universal pan, non-stick coated , HZ631070 : Baking tray, anthracite enamelled , HZ631010 : Baking tray, non-stick coated , HZ625071 : Grill tray, anthracite enamelled , HZ617000 : Pizza pan, anthracite enamelled , HZ36D663G : Steam container, punched size XL , HZ36D613G : Steam container, punched, size S , HZ36D613 : Steam container, unpunched, size S , HZ36D533P : porcelain tray-GN2/3- unpunched , HZ36D513P : porcelain tray-GN1/3- unpunched , HZ327000 : Baking stone , HZ29020 : Conversion cabinet

iQ700

Combi Steam Oven

HS858GXB6B

Features

Heating Functions

- Combi-steam oven with 15 heating methods:
 - 4D HotAir
 - 4D HotAir Eco
 - Top/ bottom heating
 - Top/bottom heating Eco
 - Hot air grilling
 - Full width grill
 - Half width grill
 - Pizza setting
 - coolStart (deep-frozen food special)
 - Bottom heating
 - Intensive heat
 - Low temperature cooking
 - Plate warming setting
 - Drying
 - Keep Warm
- Additional heating methods with steam: Pure steaming, Reheating, Dough Proving, Defrost, Sous-vide cooking
- Temperature range 30 °C - 250 °C
- Cavity volume: 71 net usable litres

Design

- black Steel Design
- Rotary Control
- Anthracite enamel cavity with 5 shelf levels

Cleaning

- EcoClean Direct : back panel, ceiling, side liners
- ecoClean® self-cleaning function (rear, sides and ceiling)
- Full glass inner door

Convenience

- 5.7" TFT touchDisplay Plus
- Temperature proposal
 - Actual temperature display
 - Actual temperature display
 - Sabbath setting
- Additional functions:
 - Descaling program
 - Drying function
- softMove: gentle opening and closing of the oven door.
- Meals (automatic programs)
- roastingSensor with three measuring points
 - bakingSensor
- Electronic clock and timer
- Rapid heating-up
- LED lighting, Multi-level LED lighting
- Large 1 litre water tank
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integrated cooling fan
- Stainless-steel fan
- Info button
- Bar handle

Hook-in racks / rails

- Cavity with shelf support rails, 3 level telescopic shelf rails, full extension, with safety stop function

Accessories

- 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x sponge, 1 x universal pan

Safety and Environment

- Door temperature 40 degrees
- Child lock for settings
 - Automatic safety switch-off function
 - Residual heat indicator
 - start button
 - Door contact switch

Technical Info

- Length of mains cable: 120 cm
- Total connected load electric: 3.45 KW
- Appliance dimensions (HxWxD): 595 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

iQ700
Combi Steam Oven
HS858GXB6B

Dimensioned drawings

