

1220mm Stainless Steel Outdoor Canopy Rangehood

RRP AUS \$2,399.00





Product Details

FEATURES

- | | | |
|--------------------------------------|--|---------------------------------------|
| 304 commercial grade stainless steel | 3 speed fan control plus turbo setting | Conversation friendly operation noise |
|--------------------------------------|--|---------------------------------------|
-

BENEFITS

- | | |
|---|---|
| <p>Twin fan powerful extraction.</p> <p>Minimise grease and smoke when cooking on your BeefEater barbecue. Featuring powerful twin motors for intense extraction at 3 different fan speeds, plus a turbo mode for those extra smokey cooks.</p> | <p>Stainless steel baffle filters</p> <p>No fuss, easy to clean stainless steel baffle filters saves you time on scrubbing to ensure efficient running of the rangehood.</p> |
| <p>Remote control</p> <p>Have the option and convenience to control your rangehood, without having to get up thanks to the included remote control.</p> | <p>54 dBA noise level</p> <p>The high performance, low noise electric motors offer strong absorbing suction for the elimination of grease, smoke, and other unwanted air particles around the cooking area.</p> |
-



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Nominal width	1220
Finish of Rangehood	commercial 304 grade stainless steel
Design Family (Beefeater)	ProLine
Suitable for outdoor undercover use	Yes

DIMENSIONS

Total product height (mm)	1077
---------------------------	------

MOTOR/FAN

Number of fans	2
Number of fans speeds	4
Variable speed control	Yes
Auto off	No
Type of motor	centrifugal
Auto fan timer	Yes
Maximum airflow M3/Hr	2300
Noise level dB high	67
Noise level dB low	54
Number of motors	2
Wattage of motor	260

POWER

Electricity supply required (Kw)	220-240
----------------------------------	---------

DIMENSIONS

Total product width (mm)	1220
Total product depth (mm)	730
Diameter of ducting (mm)	200
Minimum installation height from cooking surface Gas (mm)	1200
Minimum installation height from cooking surface Electric (mm)	650
Flue cover depth (mm)	400
Flue cover width (mm)	632
Telescopic flue	Yes
Product Weight (Kg)	51

CONTROLS

Control panel	electronic push button
Safety/ display indicators	automatic safety cut off
LED speed display	No
Removal front fascia	No

POWER

Connection plug	10
-----------------	----

FILTERS

Number of filters	6
Type of filter	stainless steel baffle
Dishwasher safe	Yes



CONTROLS

Hob2Hood function	No
Remote control	Yes

LIGHTS

Number of lights	4
Wattage of light	3
Type of light	LED

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	No
Recirculation kit	no
Optional extension flue	Yes
Ducting accessory available	yes
Ducting diameter (mm)	200
Flexible ducting	Yes

SHIPPING

Shipping Volume (m3)	0.864
Product Weight (Kg)	51

BEEFEATER FILTER TYPE

BeefEater Filter Type	Rangehoods
-----------------------	------------



SHIPPING

Pack Dimensions Height (mm)	780
Pack Dimension Width (mm)	1335
Pack Dimension Depth (mm)	830

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz