QUICK REFERENCE GUIDE > DD60DTX6I1

Series 11, Integrated Tall Double DishDrawer Dishwasher

Series 11 | Integrated

Panel Ready



Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.*

- Customise with your own front panel and handle to match your kitchen cabinetry
- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware


- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- Premium stainless steel interior, and soft-close drawers with knock to pause function
- With Wi-Fi capability and a SmartHQ[™] app for remote control and notifications

DIMENSIONS

Height 865 - 925 mm

Width 599 mm

Depth 553 mm



FEATURES & BENEFITS

Seamless Integration

Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 310mm, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Efficient Performance

With 4 star energy rating and 5.5 star (WELS) water rating, this DishDrawer™ Dishwasher uses the energy it needs without compromising on wash performance.

QUICK REFERENCE GUIDE > DD60DTX6I1

SPECIFICATIONS

Accessories (included)

Cutlery basket

Kickstrip

Knife clip and multipurpose clip

•

Accessories (sold separately)

Door panel black stainless steel ADDD60DTPB Door panel stainless steel ADDD60DTPX Handle kit Classic AHCL-DDDW-24X Handle kit Contemporary round, aluminium AHS-OBDD-60S Handle kit Contemporary square fine, AHD5aluminium OBDD-60SX AHD5-Handle kit Contemporary square fine, black OBDD-60SB Handle kit Contemporary square, aluminium AHD3-OBDD-60S Handle kit Contemporary square, black AHD3-OBDD-60B Handle kit Professional round flush AHP3-DWDD-60S

Capacity and loading

Accommodates round plates up to	310mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Wine glass supports with stemware grippers

Consumption

Energy rating
4 star

Energy usage
115kWh/year per drawer

In-use energy carbon emissions estimate
Water consumption (per wash cycle)
5.7L per drawer

Water rating
5.5 star (WELS)

Controls

Electronic fault/Diagnostic indicator
End of cycle beeps
Energy saving delay start option of up to 12 hours
Internal wash selector
Intuitive capacitive touch controls
Keylock
Knock to pause
Rinse aid indicator light
Smart appliance
Spray arm sensing

Features

Fan assisted drying

Flood protection

Flow through detergent dispenser

Internal tub material

Quiet operation

•

Stainless steel

SmartDrive[™] technology Soft close drawer

Performance

Noise on standard cycle top drawer 43 dBA

Power requirements

Amperage 10A
Supply frequency 50Hz
Supply voltage 220 - 240V

Product dimensions

 Depth
 553 mm

 Height
 865 - 925 mm

 Width
 599 mm

Warranty

Parts and labour 2 years

Wash Program Modifiers

Dry +
Quiet
Sanitise
Wash modifiers

Wash Programs

QUICK REFERENCE GUIDE > DD60DTX6I1

60 min	•
Auto	•
Eco	•
Glassware	•
Heavy	•
Light	•
Medium	•
Rinse	•
Wash programs	8

Water connection

Water pressure	30kPa - 1000 kPa
Water supply	3/4" BSP (20mm) Connector Water Inlet Hose

SKU 82168

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- <u>↓</u> 2D-DWG DishDrawer[™] Dishwasher
 - 2D-DXF Double DishDrawer™ Dishwasher
 - ArchiCAD-23 DishDrawer™ Dishwasher

Energy & Water Label

- Service & Warranty
- Installation Guide Double DishDrawer™ Dishwasher
- Planning Guide Integrated Double DishDrawer™ Dishwasher
- Planning Guide Integrated Single DishDrawer™ Dishwasher
- Revit-18 DishDrawer™ Dishwasher
- L Rhino-5 DishDrawer™ Dishwasher
- ↓ Specification Guide Integrated Double DishDrawer™ Dishwasher
- User Guide DishDrawer™ Dishwasher

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

