

HY SERIES

artusi.com.au



AVAILABLE WITH LEFT OR RIGHT-HAND BOWL

HY 860.500 single bowl + drainer | INSET

| | |
|-------------------------|--|
| FINISH | AISI 304 satin finish stainless steel 0.8mm thick |
| SIZE mm | 860 x 500 |
| BOWL SIZE DEPTH mm | 410 x 410 190 |
| CUTOUT mm | 842 x 482 |
| MINIMUM CABINET SIZE mm | 500 |



AVAILABLE WITH LEFT OR RIGHT-HAND BOWL

HY 1160.500.20 double bowl + drainer | INSET

| | |
|-------------------------|--|
| FINISH | AISI 304 satin finish stainless steel 0.8mm thick |
| SIZE mm | 1160 x 500 |
| BOWL SIZE DEPTH mm | 345 x 400 150/165 |
| CUTOUT mm | 1140 x 482 |
| MINIMUM CABINET SIZE mm | 800 |



MU & MN SERIES

artusi.com.au



MU 340.50.50 double bowl | INSET SLIM-TOP

| | |
|-------------------------|--|
| FINISH | AISI 304 polished stainless steel 1mm thick |
| SIZE mm | 740 x 440 |
| BOWL SIZE DEPTH mm | 340 x 400 210 |
| CUTOUT mm | 725 x 425 |
| MINIMUM CABINET SIZE mm | 800 |



MN 360.50.50 double bowl | UNDERMOUNT T

| | |
|-------------------------|---|
| FINISH | AISI 304 satin finish stainless steel 0.08mm thick |
| SIZE mm | 800 X 517 |
| BOWL SIZE DEPTH mm | 360 x 460 185 |
| CUTOUT mm | 760 x 460 |
| MINIMUM CABINET SIZE mm | 850 |



ACCESSORIES

UKINOX



B20.42
chopping board



B30.42
chopping board



B32.34
chopping board



G21.40 black
chopping board



G21.40 white
chopping board



CS16.39
colander













TECHNICAL INFORMATION

artusi.com.au

HY 860.500

HY 1160.500.20

MN 360.50.50

| | | | |
|----------------------|--|---|---|
| INSTALLATION | <p>INSET</p>  <p>Dimensions:(mm) 860 x 500</p> | <p>INSET</p>  <p>Dimensions:(mm) 1160 x 500</p> | <p>UNDERMOUNT</p>  <p>Dimensions:(mm) 800 x 517</p> |
| OVERALL SIZE |  <p>860 410 500 410</p> |  <p>1160 337 337 500 400</p> |  <p>800 360 360 517 460</p> |
| CUTOUT SIZE |  <p>842 482</p> |  <p>1142 482</p> |  <p>760 460</p> |
| MINIMUM CABINET SIZE |  <p>860 170 190 500</p> |  <p>1160 150 165 150 165 800</p> |  <p>760 185 228 185 228</p> |

PLEASE NOTE:

All technical drawings are supplied as a general reference only. They are not to scale and are provided as a guide only. For detailed instructions, please refer to your user guide. All cutouts should only be made after physical measurement of the appliance. Appliances that require hard wiring and/or plumbing should be installed by professional tradesmen.

TECHNICAL INFORMATION

artusi.com.au

MU 340.50.50

FLUSHMOUNT




Dimensions:(mm)
740 x 440

INSET SLIM TOP












Dimensions:(mm)
740 x 440

UNDERMOUNT



Dimensions:(mm)
740 x 440



PLEASE NOTE:

All technical drawings are supplied as a general reference only. They are not to scale and are provided as a guide only. For detailed instructions, please refer to your user guide. All cutouts should only be made after physical measurement of the appliance. Appliances that require hard wiring and/or plumbing should be installed by professional tradesmen.