



V-ZUG Australia Pty. Ltd
2/796 High Street East Kew Vic 3102, VICTORIA/Australia
Phone +61 (03) 9832 7500
service.au@vzug.com, www.vzug.com

Brochure CookTop V4000 I804



Selected product

- Article no.: 3115800002
- EAN code: 7630029461761
- Product category: Hob
- OptiGlass
- Appliance type: Built-in hob
- Standard width: 80 cm
- Front design: BlackDesign
- Frame: DualDesign



Details CookTop V4000 I804

Compliant to regulation

- (EU) Nr. 66/2014

Design

- Product category: Hob
- OptiGlass
- Appliance type: Built-in hob
- Standard width: 80 cm
- Front design: BlackDesign
- Frame: DualDesign

Dimensions

- Cut-out height: 8.5 mm
- Cut-out radius: 5 mm
- Appliance height: 52 mm
- Appliance width: 761 mm
- Appliance depth: 501 mm
- Appliance corner radius: 2 mm
- Support size width: 750 mm
- Max. support size width: 750 mm
- Support size depth: 490 mm
- Max. support size depth: 490 mm
- Installation height when flush-fitted: 52 mm
- Installation height when surface-mounted: 48 mm
- Cut-out width when flush-mounted: 767 mm
- Cut-out width when surface-mounted: 750 mm
- Max. cut-out width when surface-mounted: 750 mm
- Cut-out depth when flush-mounted: 507 mm
- Cut-out depth when surface-mounted: 490 mm
- Max. cut-out depth when surface-mounted: 490 mm
- Empty weight: 12.5 kg
- Cooking zone 1 position: left
- Cooking zone 1 dimensions: 17.8 x 22.5 cm
- Cooking zone 2 position: right
- Cooking zone 2 dimensions: 17.8 x 22.5 cm
- Cooking zone 3 dimensions: 17.8 x 22.5 cm
- Cooking zone 4 dimensions: 17.8 x 22.5 cm

Display and operation

- Display: Digital display
- Controls: Multi-Slider/direct selection
- Slider control
- Operating time
- Button sound (on/off)

Energy

- Measurement and Calculation Method: EN 60350-2
- Output - standby off: 0.49 W
- Consumption when off: 0 W
- Cooking zone 1 max. power: 3700 W
- Cooking zone 2 max. power: 3700 W
- Type of connection (1): 220-240 V~
- Frequency (1): 50-60 Hz
- Connected loads (1): 7.4 kW
- Fuse protection (1): 32 A
- Plug type: Cable
- Cooking zone 1 energy consumption: 688680 J/kg
- Cooking zone 2 energy consumption: 690120 J/kg

Hob features

- Induction coil type: ZoneFlex
- OptiGlass
- Hob category: Induction
- Operating time with shut-down function
- Residual heat indicator
- Timer
- Restore function
- Cooking zones: 4
- Power levels: 9
- Heating technology: Induction cooking zones

**Functions**

- Warming function
- Automatic pan detection
- Bridging function
- Automatic bridging function
- OptiLink
- MemoryFunction
- Powerplus
- Safety package
- Pan detection: ab 11 cm
- Pause button
- Cleaning lock
- Melt function
- Simmer function
- Childproof lock

Additional data

- Feature level: 4

Service and interfaces

- Warranty: 2 + 8 years
- Interface: Device connection (OptiLink etc.)