

312L top mount fridge, white with Autosense smart cooling function, FreshSeal™ crisper, sphere ice tray & 3.5-star energy rating





## **Product Details**

## **FEATURES**

AutoSense Autosense adapts to enhance performance.	Cool tray Cool Tray offers flexible, extra storage.	FreshSeal Crisper	Sphere ice tray
Inverter technology	Reversible door	Multi-flow air delivery system	Flat Door Design
FlexStor™ door bin storage system	SpillSafe™ Glass	Door alarm	Frost free
Egg tray	LED lighting		

## **BENEFITS**

AutoSense: Smarter Cooling

Autosense function enables more efficient operation and optimised performance by adapting to your habits, learning your fridge usage patterns, and adjusting its temperature accordingly.

FreshSeal Crispers

Our FreshSeal Crispers have seals that assist in preventing moisture loss to retain fruit and vegetable freshness and look after your food the right way.

Stay refreshingly cool

Keep your drinks ice cold thanks to our sphere ice tray. With plenty of ice available for all and the slow melting nature of larger sphere ice, you and your family can enjoy ice-cold drinks anytime.

Extra cool storage

For additional storage when you need it, the Cool Tray can be used at any time and for any occasion.





Quieter, energy-efficient fridge
For a quieter, more energy-efficient home our inverter
technology adjusts to your fridges cooling needs, keeping the
temperature just right for your fruits and vegetables while using
less energy.\*Tests by Eurofins Thailand Laboratory on
compressor running noise level.\*\*Internal tested single speed

compressor compared to inverter compressor.

Multi-Flow Air Delivery System
Fresher food means tastier food. The Westinghouse Multi-Flow
Air Delivery System keeps the temperature stable so every
ingredient in the fridge stays fresher for longer.



## **Specifications**

## PRODUCT PROFILE

Domestic warranty details (yrs)	2	
Refrigerator Type	top mount	
Exterior door finish	White	
Fridge door opening	reversible	
Cooling system	frost free	
Refrigerant	R600a	
Compressor	Inverter	

## **DIMENSIONS**

Total height (mm)	1646
Cabinet height (mm)	1630
Total width (mm)	598
Cabinet width (mm)	595
Total depth (mm)	650
Cabinet depth (mm)	586
Depth door open 90degree (mm)	1199
Air space above cabinet (mm)	90
Food Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	238
Freezer Compartment Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	74
Total Capacity (L) - AS/NZS 4474.1 2007 (IEC 62552- 2015) *	312



Energy Star Rating -AS/NZS 4474.1 2007 (IEC 62552- 2015) \* 3.5

Energy Consumption (kWh/year) - AS/NZS 4474.1 2007 (IEC 62552-2015) \* 291

## **SHELVING**

Door alarm

Controls

Controls location

Control functions

Shelf material

glass

LED

manual

internal

fridge

Autosense

FOOD COMPARTMENT

CHILLER COMPARTMENT

Full width compartment

1

## **CRISPERS**

Crisper lid/shelf	glass
Crispers Runner system	floor

Full width crisper

Crisper features

fully sealed

## **LIGHTING**

Main light

REFRIGERATOR SYSTEM

## OTHER PROPERTIES

## FOOD COMPARTMENT DOOR

**BINS** 





Other Properties-FOOD Egg tray
COMPARTMENT

Deep bottle bin	1
Shallow bin	2

## FREEZER COMPARTMENT

# Ice sphere tray 1

## SHELVING

Shelving	glass shelf
Number of shelves	1

## FREEZER DOOR

## **INTERNAL**


Freezer door bins - full 2 width




## **Dimensions**

## **Medium Top Mount Fridges**


WTM3100SL/WL WTM3400WL





#### IMPORTANT


These dimensions are a guide only. All measurements are in millimetres (mm). For complete installation instructions, refer to the manual provided with product.



**Please note:** Doors are designed to sit proud of cabinetry (not flush).

Model	х
WTM3100 WTM3400	350mm

When positioned in a corner area, spacing a minimum of Xmm (distance depends of the model as per the table above) on the hinge side will allow the doors to open enough to enable the removal of shelves.



Dimensions	Product Height (H)	Product Width (W)	Product Depth (D)	Product Depth (D2) (Door Open)
WTM3100SL	1646	598	650	1199
WTM3100WL	1646	598	650	1199
WTM3400WL	1756	598	650	1199

Airspace	Side-both	Тор	Behind
WTM3100SL	30	90	50
WTM3100WL	30	90	50
WTM3400WL	30	90	50



## **Terms and Conditions**

#### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### **ELECTROLUX HOME PRODUCTS AUSTRALIA**

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz