

**71cm stainless steel integrated rangehood with 370m<sup>3</sup>/hr extraction rate, LED lighting, 2 fan speed and dishwasher safe mesh filters.**

RRP AUS \$499.00



## Product Details

### FEATURES

---

370m3/hr extraction rate	LED lighting	Dishwasher safe mesh filters	2 speed fan
--------------------------	--------------	------------------------------	-------------

---

Stainless Steel finish	Slide switch controls	Ducted or recirculating options
------------------------	-----------------------	---------------------------------

---

### BENEFITS

---

**Clear the air quickly**  
Our rangehoods offer powerful extraction rates ensuring your kitchen is clear of cooking odours, vapours and excess heat in no time at all.

**Low energy, long lasting LED**  
With low energy use and a high illumination performance, long-lasting LED lights make it easy to keep an eye on your delicious cooking.

---

**Easy-clean filters**  
For ease and convenience, our easily removed aluminium micro-mesh filters can simply be washed safely in your dishwasher or hand washed. Keep your rangehood looking great and performing well with next to no effort.

**Quiet please, the cook's at work**  
We believe you should be able to cook and hear yourself think, or even have a conversation. That's why we developed a quieter motor that gives you high-speed extraction without the high levels of noise.

---

## Specifications

### PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated under cupboard
Nominal width	710
Finish of Rangehood	stainless steel

### DIMENSIONS

Total product height (mm)	200
Total product width (mm)	712
Total product depth (mm)	304

### MOTOR/FAN

Number of fans	1
Number of fans speeds	2
Type of motor	single motor
Perimeter extraction	No
Maximum airflow M3/Hr	370
Noise level dB high	67
Noise level dB low	49
Number of motors	1
Wattage of motor	100

### CONTROLS

Control panel	slide switch control
Safety/ display indicators	auto thermal cutout safety switch
Hob2Hood function	No

## DIMENSIONS

Diameter of ducting (mm)	120
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Cut out width (mm)	655
Cut out depth (mm)	276
Cut out height (mm)	200

## FILTERS

Number of filters	2
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

## DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top

## LIGHTS

Number of lights	2
Wattage of light	5.5
Type of light	LED

## SHIPPING

Shipping Volume (m3)	0.0688
----------------------	--------



## DUCTING / RECIRCULATION

Recirculation option	Yes
Recirculation kit	optional accessory
Front recirculating option	No
Type of filter	Carbon
Filter	Optional
Number of optional filters required	two
Ducting diameter (mm)	120

## STUFFING QUANTITIES

20ft	474
40ft	966
40ft HC	1127

## SHIPPING

Pack Dimensions Height (mm)	375
Pack Dimension Width (mm)	770
Pack Dimension Depth (mm)	235

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)