


**60cm induction cooktop with an XL zone, touch slide controls, bridging function, Hob2Hood and stainless steel trim.**

RRP AUS \$1,799.00



## Product Details

### FEATURES

XL Zone

Hob2Hood

Bridging technology

Touch slide controls

OptiHeat™ control  
The OptiHeat™ control helps you make the most efficient use of residual heat. It advises 3 levels of residual heat whether the heat zone is still hot enough to cook with, hot enough to keep food warm, or simply hot to touch.

Automax

Pause Function

Minute minder

Oko timer

Function control lock

### BENEFITS

Hob2Hood

Leave Hob2Hood to regulate the fan while you concentrate on the key moments involved in getting your dish just right. It will automatically control your rangehood's fan and lights.

The ultimate in cooking flexibility

The bridging function allows cookware to be placed across paired zones for a greater cooking surface\*. The two zones share the same temperature and timer capability. \* Please note cooking results can vary based on type of cookware and method of cooking

Touch slide controls

Precise heat control in an instant. Heat levels can be adjusted quickly, easily and accurately.

OptiHeat™ control by monitoring each heat zone

The OptiHeat™ control helps you make the most efficient use of residual heat. It advises 3 levels of residual heat whether the heat zone is still hot enough to cook with, hot enough to keep food warm, or simply hot to touch.

### AutoMax

Our AutoMax cooking function provides fantastic automatic zone control. After you have selected the AutoMax function, it will bring the zone up to the boil and will then reduce it to your pre-selected power level for the remainder of the cooking time.

### Pause Function

With the Pause Function function, one touch pauses the cooking process, whilst another restarts it again with the same settings.

---

## Specifications

### PRODUCT PROFILE

Domestic warranty details (yrs)	5
Cooktop type	Induction
Materials/Colour	black ceramic glass
Trim finish	stainless steel
Removable trim (for cleaning)	No
Wok included designed to fit cooktop	No

### CONTROLS

Controls of Cooktops	Touch and Slide controls
Position of controls	front
Functions of Cooktops	acoustic signal,automatic switch off,AutoMax automatic heat up,timer,booster,pause,Hob2Hood,
Indicators/display	fault indicator,3 level residual heat indicator

### DIMENSIONS

Total product width (mm)	590
Total product depth (mm)	520
Cut out width (mm)	560
Cut out depth (mm)	490

### ELEMENTS/BURNERS

#### LEFT FRONT ZONE

Left front zone	
Left front Watts	2300
Left front boost watts	3200
Left front diameter	220

## CONTROLS

Features of Cooktop	minute minder,function lock,sound off,pot sensors,Hob2Hood Connectivity
Timer of Cooktop	Okø timer,CountUp,Minute minder

## LEFT REAR ZONE

Left rear zone	
Left rear watts	2300
Left rear diameter	220

## ELECTRICAL SPECIFICATIONS

Connected load KW	7.4
Type of connection	hardwired


## RIGHT FRONT ZONE

Right front zone	induction
Right front Watts	1800
Right front diameter	280

## SHIPPING

Shipping Volume (m3)	0.048
Shipping Weight (Kg)	11.98
Pack Dimensions Height (mm)	118
Pack Dimension Width (mm)	678
Pack Dimension Depth (mm)	600

## Dimensions



### IMPORTANT

These dimensions are a guide only. All measurements are in millimetres (mm).  
For complete installation instructions, refer to the manual provided with product.

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: [customercare@aegaustralia.com.au](mailto:customercare@aegaustralia.com.au)

web: [www.aeg.com/au](http://www.aeg.com/au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.aeg.com/au](http://www.aeg.com/au)