

iQ700 KI42FP60AU Fully integrated noFrost, Built-in-/under-refrigerator 1- door vitaFresh



- ✓ All foods stay fresh upto 3x longer thanks to the "wet" and "dry" 0°C vitaFresh zones.
- ✓ Drawers with telescopic rails are easier to load, and give a better view of stored food items.
- ✓ Even when fully loaded, the height of the easyLift glass shelf bin can be easily adjusted.
- ✓ SoftClosing Door: door closes automatically and softly when it is open at a 20° angle or less.
- ✓ The LED lights up the interior brightly and evenly, without dazzling.

Features

Technical Data

Built-in / Free-standing : Built-in
 Door panel options : Not possible
 Height (mm) : 1772
 Width of the product (mm) : 556
 Depth of the product : 545
 Required niche size for installation (HxWxD) : 1775.0 x 560 x 550
 Net weight (kg) : 80.0
 Connection Rating (W) : 120
 Current (A) : 10
 Door hinge : Right reversible
 Voltage (V) : 220-240
 Frequency (Hz) : 50
 Approval certificates : VDE
 Length electrical supply cord (cm) : 190
 Energy efficiency class : X
 Refrigerator Net capacity (l) : 302
 Freezing capacity (kg) : 0
 Number of compressors : 1
 Number of independent cooling systems : 2
 Interior ventilator : Yes
 Reversible Door Hinge : Yes
 Number of Adjustable Shelves in fridge compartment : 3
 Shelves for Bottles : Yes
 EAN code : 4242003681015
 Brand : Siemens
 Product name / Commercial code : KI42FP60AU
 Product category : Refrigerator
 Freezer Net capacity (l) : 0
 Frost free system : No
 Freezing capacity (kg/24h) : 0
 Noise level (dB) : 39
 Climate class : SN-T
 Installation typology : Full-integrated

Included accessories

2 x egg tray



4 242003 681015

iQ700**KI42FP60AU****Fully integrated
noFrost, Built-in/-under-refrigerator 1-
door vitaFresh****Features****Design**

- Soft Close Door
- Fully integrated
- LED interior light on the both sides

Comfort

- Electronic operated by TouchControl
- Automatic defrost
- superCool function - Automatically brings down the temperature of the refrigerator to cool new groceries rapidly
- Complete ventilation through plinth

Shelving and Compartments

- 7 safety glass shelves; 3 height-adjustable,
- 4 door bins: 1 extra deep with divider and 3 with easyLift
- 4 full extension storage trays
- 1 Divider Box
- Egg rack

Comfort and Safety

- 3-fold Security System
- Acoustic door open alarm
- 25 l vitaFresh humidity container (up about 95% humidity) with automatic humidity control, wave bottom on full extendend telescopic rails

Performance and Consumption

- 3 Star rating and Energy consumption of 225 kwh per annum

Technical Information

- Reversible door hinging
- 316 litres total gross volume
- Fridge section net: 225 litres
- Right hinged door, Reversible door hinging
- 120 W total connected load
- Voltage 220 - 240 V

Dimensions

- Cabinet depth (inc spacer): 635mm
- Dimensions (H x W x D): 1,772 mm x 556 mm x 545 mm
- Cut-out Dimension (H x W x D): 1,775 mm x 560 mm x 550 mm

Accessories

- 2 x egg tray
- Bottle rack

iQ700

KI42FP60AU

Fully integrated
noFrost, Built-in-/under-refrigerator 1-
door vitaFresh

Dimensioned drawings

